

## Agri-footprint 4.0

List of products in Agri-footprint 4.0 and their reference flow.

Three different allocation methods are available (i.e. economic, mass and energy allocation)

Products	Countries/Regions covered	Coverage
2-Methyl-4-chlorophenoxyacetic acid, at plant	RER	1
2,4-D, at plant	RER	1
Activated carbon, at plant	RER	1
Alachlor, at plant	RER	1
Aliphatic organothiophosphate insecticides, at plant	RER	1
Ammonia, as 100% NH3 (NPK 82-0-0), at plant	RER	1
Ammonia, as 100% NH3 (NPK 82-0-0), at regional storehouse	RER	1
Ammonium nitrate, as 100% (NH4)(NO3) (NPK 35-0-0), at plant	RER	1
Ammonium nitrate, as 100% (NH4)(NO3) (NPK 35-0-0), at regional storehouse	RER	1
Ammonium sulphate, as 100% (NH4)2SO4 (NPK 21-0-0), at plant	RER	1
Ammonium sulphate, as 100% (NH4)2SO4 (NPK 21-0-0), at regional storehouse	RER	1
Anilide herbicides, at plant	RER	1
Animal meal, from dry rendering, at plant	NL	1
Aryloxyphenoxypropionic herbicides, at plant	RER	1
Asbestos, at mine	RER	1
Atrazine, at plant	RER	1
Barley grain, at farm	AR, AT, AU, BE, BG, CA, CH, CZ, DE, DK, EE, ES, FI, FR, GR, HU, IE, IT, LT, LV, NL, PL, PT, RO, SE, SK, UK	27
Barley grain, consumption mix, at feed compound plant	IE, NL	2
Barley grain, dried, at farm	AR, AT, AU, BE, BG, CA, CH, CZ, DE, DK, EE, ES, FI, FR, GR, HU, IE, IT, LT, LV, NL, PL, PT, RO, SE, SK, UK	27
Barley grain, seed, at farm	AR, AT, AU, BE, BG, CA, CH, CZ, DE, DK, EE, ES, FI, FR, GR, HU, IE, IT, LT, LV, NL, PL, PT, RO, SE, SK, UK	27
Barley straw, at farm	AR, AT, AU, BE, BG, CA, CH, CZ, DE, DK, EE, ES, FI, FR, GR, HU, IE, IT, LT, LV, NL, PL, PT, RO, SE, SK, UK	27
Barley straw, consumption mix, at feed compound plant	NL	1
Barley straw, seed, at farm	AR, AT, AU, BE, BG, CA, CH, CZ, DE, DK, EE, ES, FI, FR, GR, HU, IE, IT, LT, LV, NL, PL, PT, RO, SE, SK, UK	27
Basic infrastructure, at farm	GLO	1
Beans, dry, at farm	NL, US, ZA	3
Beans, dry, canned, at plant	NL	1
Beans, seed, dry, at farm	NL, US, ZA	3

## Agri-footprint 4.0

Products	Countries/Regions covered	Coverage
Beef cattle for slaughter, at beef farm, PEF compliant	IE	1
Beef cattle for slaughter, at beef farm	IE	1
Beef co-product, Cat.1/2 and waste, from beef cattle, at slaughterhouse, PEF compliant	IE, NL	2
Beef co-product, Cat.3 by-products, from beef cattle, at slaughterhouse, PEF compliant	IE	1
Beef co-product, Cat.3 by-products, from dairy cattle, at slaughterhouse, PEF compliant	NL	1
Beef co-product, feed grade, from beef cattle, at slaughterhouse	IE	1
Beef co-product, feed grade, from dairy cattle, at slaughterhouse	NL	1
Beef co-product, food grade bones, from beef cattle, at slaughterhouse, PEF compliant	IE	1
Beef co-product, food grade bones, from dairy cattle, at slaughterhouse, PEF compliant	NL	1
Beef co-product, food grade fat, from beef cattle, at slaughterhouse, PEF compliant	IE	1
Beef co-product, food grade fat, from dairy cattle, at slaughterhouse, PEF compliant	NL	1
Beef co-product, food grade, from beef cattle, at slaughterhouse	IE	1
Beef co-product, food grade, from dairy cattle, at slaughterhouse	NL	1
Beef co-product, hides and skins, from beef cattle, at slaughterhouse, PEF compliant	IE	1
Beef co-product, hides and skins, from dairy cattle, at slaughterhouse, PEF compliant	NL	1
Beef co-product, other, from beef cattle, at slaughterhouse	IE	1
Beef co-product, other, from dairy cattle, at slaughterhouse	NL	1
Beef meat, fresh, from beef cattle, at slaughterhouse, PEF compliant	IE	1
Beef meat, fresh, from beef cattle, at slaughterhouse	IE	1
Beef meat, fresh, from dairy cattle, at slaughterhouse, PEF compliant	NL	1
Beef meat, fresh, from dairy cattle, at slaughterhouse	NL	1
Beef, for Meatless hybrid, at plant	NL	1
Benomyl, at plant	RER	1
Bentazone, at plant	RER	1
Benzimidazole fungicides, at plant	RER	1
Bleaching earth, at plant	RER	1
Blood meal, spray dried, consumption mix, at feed compound plant	NL	1
Blood meal, spray dried, from blood processing, at plant	NL	1
Brewer's grains, consumption mix, at feed compound plant	NL	1
Brewer's grains, wet, at plant	NL	1
Broad bean, at farm	AU, DE, FR, IT, UK	5
Broad bean, hulls, at plant	NL	1
Broad bean, meal, at plant	NL	1
Broad bean, seed, at farm	AU, DE, FR, IT, UK	5
Broccoli, at farm	FR, NL	2
Broccoli, seed, at farm	FR, NL	2
Broiler parents <20 weeks, breeding, at farm	NL	1
Broiler parents >20 weeks, for slaughter, at farm	NL	1

## Agri-footprint 4.0

Products	Countries/Regions covered	Coverage
Broilers, for slaughter, at farm	NL	1
Calcium ammonium nitrate (CAN), (NPK 26.5-0-0), at plant	RER	1
Calcium ammonium nitrate (CAN), (NPK 26.5-0-0), at regional storehouse	RER	1
Calcium ammonium nitrate (CAN), Nutramon, (NPK 27-0-0), at OCI Nitrogen plant	NL	1
Calves, at dairy farm, PEF compliant	NL	1
Calves, at dairy farm	NL	1
Captan, at plant	RER	1
Carbamate insecticides, at plant	RER	1
Carbaryl, at plant	RER	1
Carbofuran, at plant	RER	1
Carrot, at farm	BE, NL	2
Carrot, seed, at farm	BE, NL	2
Cassava peels, fresh, from processing with use of co-products, at plant	TH	1
Cassava pomace (fibrous residue), fresh, from processing with use of co-products, at plant	TH	1
Cassava root dried, from tapioca processing, at plant	TH	1
Cassava, at farm	TH	1
Cassava, seed, at farm	TH	1
Cauliflower, at farm	ES, NL	2
Cauliflower, seed, at farm	ES, NL	2
Cheese, from cheese production, at plant	NL	1
Chicken co-product, feed grade, at slaughterhouse	NL	1
Chicken co-product, food grade, at slaughterhouse	NL	1
Chicken co-product, other, at slaughterhouse	NL	1
Chicken meat, fresh, at slaughterhouse	NL	1
Chickpea, at farm	AU, IN, US	3
Chickpea, canned, at plant	NL	1
Chickpea, seed, at farm	AU, IN, US	3
Chicory root, at farm	BE, NL	2
Chicory root, seed, at farm	BE, NL	2
Chlordimeform, at plant	RER	1
Chlorine gas, from amalgam technology, at plant	RER	1
Chlorine gas, from diaphragm technology, at plant	RER	1
Chlorine gas, from membrane technology, at plant	RER	1
Chlorine gas, production mix	RER	1
Chloroacetanilide herbicides, at plant	RER	1
Chlorotriazine herbicides, at plant	RER	1
Chlorsulfuron, at plant	RER	1
Citrus pulp dried, consumption mix, at feed compound plant	NL	1

## Agri-footprint 4.0

Products	Countries/Regions covered	Coverage
Citrus pulp dried, from drying, at plant	BR, US	2
Coconut copra meal, consumption mix, at feed compound plant	NL	1
Coconut copra meal, from crushing, at plant	ID, IN, PH	3
Coconut husk, from dehusking, at plant	ID, IN, PH	3
Coconut, at farm	ID, IN, PH	3
Coconut, dehusked, from dehusking, at plant	ID, IN, PH	3
Coconut, seed, at farm	ID, IN, PH	3
Combustion of natural gas, consumption mix, at plant	NL	1
Compound feed beef cattle	IE	1
Compound feed breeding broiler parents <20 weeks	NL	1
Compound feed breeding laying hens <17 weeks	NL	1
Compound feed broiler parents >20 weeks	NL	1
Compound feed broilers	NL	1
Compound feed dairy cattle	NL	1
Compound feed laying hens >17 weeks	NL	1
Consumption eggs, broiler parents >20 weeks, at farm	NL	1
Consumption eggs, laying hens >17 weeks, at farm	NL	1
Consumption potato, at farm	NL	1
Cotton lint, at farm	US-AL, US-AR, US-AZ, US-CA, US-GA, US-LA, US-MO, US-MS, US-NC, US-SC, US-TN, US-TX	12
Cotton lint, production mix, at farm	US	1
Cotton lint, seed, at farm	US-AL, US-AR, US-AZ, US-CA, US-GA, US-LA, US-MO, US-MS, US-NC, US-SC, US-TN, US-TX	12
Cottonseed, at farm	US-AL, US-AR, US-AZ, US-CA, US-GA, US-LA, US-MO, US-MS, US-NC, US-SC, US-TN, US-TX	12
Cottonseed, production mix, at farm	US	1
Cottonseed, seed, at farm	US-AL, US-AR, US-AZ, US-CA, US-GA, US-LA, US-MO, US-MS, US-NC, US-SC, US-TN, US-TX	12
Cows for slaughter, at dairy farm, PEF compliant	NL	1
Cows for slaughter, at dairy farm	NL	1
Cream, full, from processing, at plant	NL	1
Cream, skimmed, from processing, at plant	NL	1
Crude coconut oil, from crushing, at plant	ID, IN, PH	3
Crude maize germ oil, from wet milling (germ oil production, pressing), at plant	DE, FR, NL, US	4
Crude maize germ oil, from wet milling (germ oil production, solvent), at plant	DE, FR, NL, US	4
Crude palm kernel oil, from crushing, at plant	ID, MY	2
Crude palm oil, from crude palm oil production, at plant	ID, MY	2
Crude peanut oil, from crushing at plant	AR, SD, SN, UG, US	5

## Agri-footprint 4.0

Products	Countries/Regions covered	Coverage
Crude rapeseed oil, from crushing (pressing), at plant	BE, DE, NL	3
Crude rapeseed oil, from crushing (solvent), at plant	AT, BE, CN, CZ, DE, DK, FR, NL, PL, UK, US	11
Crude rice bran oil, from rice bran oil production, at plant	CN	1
Crude soybean oil, from crushing (pressing), at plant	AR, BR, DE, ES, FR, IT, NL, PT, UK	9
Crude soybean oil, from crushing (solvent), at plant	AR, BR, DE, ES, FR, IT, NL, PT, UK, US	10
Crude soybean oil, from crushing (solvent, for protein concentrate), at plant	AR, BR, DE, ES, FR, IT, NL, PT, UK	9
Crude sunflower oil, from crushing (pressing), at plant	AR, CN, UA	3
Crude sunflower oil, from crushing (solvent), at plant	AR, BG, CN, DE, ES, FR, HU, IT, NL, RO, UA	11
Curly kale, at farm	ES, NL	2
Curly kale, seed, at farm	ES, NL	2
Cyanazine, at plant	RER	1
Cypermethrin, at plant	RER	1
Di ammonium phosphate, as 100% (NH <sub>3</sub> ) <sub>2</sub> HPO <sub>4</sub> (NPK 22-57-0), at plant	RER	1
Di ammonium phosphate, as 100% (NH <sub>3</sub> ) <sub>2</sub> HPO <sub>4</sub> (NPK 22-57-0), at regional storehouse	RER	1
Dicamba, at plant	RER	1
Dinitroaniline herbicides, at plant	RER	1
Dinitrophenol herbicides, at plant	RER	1
Dipropylthiocarbamic acid S-ethyl ester, at plant	RER	1
Diquat, at plant	RER	1
Dithiocarbamate fungicides, at plant	RER	1
Diuron, at plant	RER	1
Dolomite, milled, at mine	RER	1
Electricity mix, AC, consumption mix, at consumer, < 1kV	AR, AU, BR, CA, CN, ID, IN, MY, PH, PK, RU, SD, UA, US, VN	15
Energy, from diesel burned in machinery	RER	1
Ethanol, from ethene, at plant	RER	1
Ethanol, from maize, from ethanol production, at plant	US	1
Ethanol, from sugar beet molasses, at plant	US	1
Fat from animals, consumption mix, at feed compound plant	NL	1
Fat from animals, from dry rendering, at plant	NL	1
Fatty acid distillates (palm oil production)	NL	1
Fish meal, from fish meal and oil production, at plant	CL, DE, DK, NO, PE, UK	6
Fish oil, from fish meal and oil production, at plant	CL, DE, DK, NO, PE, UK	6
Fluazifop-p-butyl, at plant	RER	1
Fluometuron, at plant	RER	1
Fodder beet, at farm	NL	1
Fodder beet, seed, at farm	NL	1
Fodder beets cleaned , consumption mix, at feed compound plant	NL	1
Fodder beets cleaned, from cleaning, at plant	NL	1

## Agri-footprint 4.0

Products	Countries/Regions covered	Coverage
Fodder beets dirty, consumption mix, at feed compound plant	NL	1
Food grade fat, from fat melting, at plant	NL	1
Formaldehyde, at plant	RER	1
Formaline, (37% Formaldehyde), at plant	RER	1
Fungicide, at plant	RER	1
Glyphosate, at plant	RER	1
Grass silage, at beef farm	IE	1
Grass silage, at dairy farm	NL	1
Grass, at beef farm	IE	1
Grass, at dairy farm	NL	1
Grass, grazed in pasture	IE	1
Greaves meal, consumption mix, at feed compound plant	NL	1
Greaves meal, from fat melting, at plant	NL	1
Green bean, at farm	KE, MA, NL	3
Green bean, seed, at farm	KE, MA, NL	3
Groundnut meal, from crushing, at plant	AR, SD, SN, UG, US	5
Groundnuts, seed, with shell, at farm	AR, CN, ID, IN, MX, SD, SN, UG, US-AL, US-FL, US-GA, US-NC, US-TX, US	14
Groundnuts, with shell, at farm	AR, CN, ID, IN, MX, SD, SN, UG, US-AL, US-FL, US-GA, US-NC, US-TX, US	14
Groundnuts, with shell, production mix, at farm	US	1
Hatching eggs, broiler parents >20 weeks, at farm	NL	1
Herbicide, at plant	RER	1
Hexane, at plant	RER	1
HumVi, at plant, produced by Vitens in Spannenburg	NL	1
Hydrochloric acid, Mannheim process (30% HCl), at plant	RER	1
Hydrogen gas, from amalgam technology, at plant	RER	1
Hydrogen gas, from diaphragm technology, at plant	RER	1
Hydrogen gas, from membrane technology, at plant	RER	1
Insecticide, at plant	RER	1
Landed fish, from fishery, at plant	CL, DE, DK, NO, PE, UK	6
Laying hens <17 weeks, breeding, at farm	NL	1
Laying hens >17 weeks, for slaughter, at farm	NL	1
Lentil, at farm	AU, CA	2
Lentil, canned, at plant	NL	1
Lentil, seed, at farm	AU, CA	2
Lime fertilizer, at plant	RER	1
Lime fertilizer, at regional storehouse	RER	1

## Agri-footprint 4.0

Products	Countries/Regions covered	Coverage
Lime fertilizer, from sugar production, at plant	BE, DE, ES, FR, IT, PL, UK	7
Lime fertilizer, from sugar production, at Suiker Unie plants	NL	1
Lindane, at plant	RER	1
Linseed, at farm	AT, BE, CA, CN, DE, IT, LT, LV, UK	9
Linseed, seed, at farm	AT, BE, CA, CN, DE, IT, LT, LV, UK	9
Linuron, at plant	RER	1
Liquid urea-ammonium nitrate solution (NPK 30-0-0), at plant	RER	1
Liquid urea-ammonium nitrate solution (NPK 30-0-0), at regional storehouse	RER	1
Liquid whey, from cheese production, at plant	NL	1
Lucerne, at farm	ES, IT	2
Lucerne, dried, at farm	ES, IT	2
Lucerne, seed, at farm	ES, IT	2
Lupine, at farm	AU, DE, PL	3
Lupine, consumption mix, at feed compound plant	NL	1
Lupine, hulls, at plant	NL	1
Lupine, meal, at plant	NL	1
Lupine, seed, at farm	AU, DE, PL	3
Maize bran, consumption mix, at feed compound plant	NL	1
Maize bran, from wet milling (drying), at plant	DE, FR, NL, US	4
Maize degermed, from wet milling (degermination), at plant	DE, FR, NL, US	4
Maize distillers grains, dried, from ethanol production, at plant	US	1
Maize distillers grains, wet, from ethanol production, at plant	US	1
Maize fibre	DE, FR, NL, US, DE, FR, NL, US	8
Maize flour, from dry milling, at plant	DE, FR, IT, NL, PL, US	6
Maize germ meal expeller, consumption mix, at feed compound plant	NL	1
Maize germ meal expeller, from wet milling (germ oil production, pressing), at plant	DE, FR, NL, US	4
Maize germ meal extracted, consumption mix, at feed compound plant	NL	1
Maize germ meal extracted, from wet milling (germ oil production, solvent), at plant	DE, FR, NL, US	4
Maize germ, dried, from wet milling (germ drying), at plant	DE, FR, NL, US	4
Maize germ, wet, from wet milling (degermination), at plant	DE, FR, NL, US	4
Maize gluten feed, dried, consumption mix, at feed compound plant	NL	1
Maize gluten feed, from wet milling (glutenfeed production, with drying), at plant	DE, FR, NL, US	4
Maize gluten feed, high moisture, consumption mix, at feed compound plant	NL	1
Maize gluten feed, high moisture, from wet milling (glutenfeed production, no drying), at plant	DE, FR, NL, US	4
Maize gluten meal, consumption mix, at feed compound plant	NL	1
Maize gluten meal, from wet milling (gluten drying), at plant	DE, FR, NL, US	4
Maize gluten, wet, from wet milling (gluten recovery), at plant	DE, FR, NL, US	4
Maize middlings, consumption mix, at feed compound plant	NL	1

## Agri-footprint 4.0

Products	Countries/Regions covered	Coverage
Maize middlings, from dry milling, at plant	DE, FR, IT, NL, PL, US	6
Maize silage, at dairy farm	NL	1
Maize solubles, consumption mix, at feed compound plant	NL	1
Maize solubles, from wet milling (steepwater dewatering), at plant	DE, FR, NL, US	4
Maize starch and gluten slurry, from wet milling (grinding and screening), at plant	DE, FR, NL, US	4
Maize starch, consumption mix, at feed compound plant	NL	1
Maize starch, from wet milling (starch drying), at plant	DE, FR, NL, US	4
Maize starch, wet, from wet milling (gluten recovery), at plant	DE, FR, NL, US	4
Maize steepwater, wet, from wet milling (receiving and steeping), at plant	DE, FR, NL, US	4
Maize, at farm	AR, BE, BG, BR, CA, CN, CZ, DE, ES, FR, GR, HU, ID, IN, IT, MX, PH, PK, PL, PT, RO, SK, TH, UA, US-CO, US-GA, US-IA, US-IL, US-IN, US-KS, US-KY, US-MI, US-MN, US-MO, US-NC, US-ND, US-NE, US-NY, US-OH, US-PA, US-SC, US-SD, US-TX, US-WI, US, VN, ZA	47
Maize, consumption mix, at feed compound plant	IE, NL	2
Maize, market mix, at regional storage	DE, FR, IT, NL, PL, US	6
Maize, production mix, at farm	US	1
Maize, seed, at farm	AR, BE, BG, BR, CA, CN, CZ, DE, ES, FR, GR, HU, ID, IN, IT, MX, PH, PK, PL, PT, RO, SK, TH, UA, US-CO, US-GA, US-IA, US-IL, US-IN, US-KS, US-KY, US-MI, US-MN, US-MO, US-NC, US-ND, US-NE, US-NY, US-OH, US-PA, US-SC, US-SD, US-TX, US-WI, US, VN, ZA	47
Maize, steeped, from wet milling (receiving and steeping), at plant	DE, FR, NL, US	4
Malathion, at plant	RER	1
Maneb, at plant	RER	1
Manure, from cows, at farm	RER	1
Manure, from pigs, at pig farm	RER	1
Manure, from poultry, at poultry farm	RER	1
Meat bone meal, consumption mix, at feed compound plant	NL	1
Meatless hybrid, dehydrated (dry) rice	NL, NL, NL	3
Meatless hybrid, hydrated (wet) rice	NL, NL, NL	3
Meatless hybrid, hydrated (wet) tapioca	NL, NL, NL	3
Meatless hybrid, hydrated (wet) wheat	NL, NL, NL	3
Meatless, dehydrated (dry), rice based, at plant	NL	1
Meatless, hydrated (wet), rice based, at plant	NL	1
Meatless, hydrated (wet), tapioca based, at plant	NL	1
Meatless, hydrated (wet), wheat based, at plant	NL	1
Mercury, at plant	RER	1
Metolachlor, at plant	RER	1



## Agri-footprint 4.0

Products	Countries/Regions covered	Coverage
Milk powder skimmed, consumption mix, at feed compound plant	NL	1
Milk powder skimmed, from drying, at plant	NL	1
Milk powder whole, consumption mix, at feed compound plant	NL	1
Milk powder whole, from drying, at plant	NL	1
Mix of by-products fed to dairy cattle	NL	1
Nitric acid, in water (60% HNO3) (NPK 13.2-0-0), at plant	RER	1
NPK compound (NPK 15-15-15), at plant	RER	1
NPK compound (NPK 15-15-15), at regional storehouse	RER	1
Oat grain peeled, consumption mix, at feed compound plant	NL	1
Oat grain peeled, from dry milling, at plant	BE, NL	2
Oat grain, at farm	AT, BE, BG, CA, CZ, DE, DK, EE, ES, FI, FR, GR, HU, IT, LT, LV, NL, NO, PL, PT, RO, SE, SK, UK, US-KS, US-MI, US-MN, US-ND, US-NE, US-NY, US-PA, US-SD, US-WI, US	34
Oat grain, consumption mix, at feed compound plant	IE, NL	2
Oat grain, dried, at farm	AT, BE, BG, CA, CZ, DE, DK, EE, ES, FI, FR, GR, HU, IT, LT, LV, NL, NO, PL, PT, RO, SE, SK, UK, US-KS, US-MI, US-MN, US-ND, US-NE, US-NY, US-PA, US-SD, US-WI, US	34
Oat grain, market mix, at regional storage	BE, NL	2
Oat grain, production mix, at farm	US	1
Oat grain, seed, at farm	AT, BE, BG, CA, CZ, DE, DK, EE, ES, FI, FR, GR, HU, IT, LT, LV, NL, NO, PL, PT, RO, SE, SK, UK, US-KS, US-MI, US-MN, US-ND, US-NE, US-NY, US-PA, US-SD, US-WI, US	34
Oat husk meal, consumption mix, at feed compound plant	NL	1
Oat husk meal, from dry milling, at plant	BE, NL	2
Oat mill feed meal high grade, consumption mix, at feed compound plant	NL	1
Oat mill feed meal high grade, mixing final product, at plant	BE, NL	2
Oat straw, at farm	AT, BE, BG, CA, CZ, DE, DK, EE, ES, FI, FR, GR, HU, IT, LT, LV, NL, NO, PL, PT, RO, SE, SK, UK, US-KS, US-MI, US-MN, US-ND, US-NE, US-NY, US-PA, US-SD, US-WI, US	34
Oat straw, consumption mix, at feed compound plant	NL	1
Oat straw, seed, at farm	AT, BE, BG, CA, CZ, DE, DK, EE, ES, FI, FR, GR, HU, IT, LT, LV, NL, NO, PL, PT, RO, SE, SK, UK, US-KS, US-MI, US-MN, US-ND, US-NE, US-NY, US-PA, US-SD, US-WI, US	34
Offal, from fishery, at plant	CL, DE, DK, NO, UK	5
Oil palm fruit bunch, at farm	ID, MY	2
Oil palm seedling, at farm	ID, MY	2
One-day-chickens, at hatchery	NL	1
Onion, at farm	FR	1

Agri-footprint 4.0

Products	Countries/Regions covered	Coverage
Onion, seed, at farm	FR	1
Organochlorine insecticides, at plant	RER	1
Organophosphorus herbicides, at plant	RER	1
Palm kernel expeller, consumption mix, at feed compound plant	NL	1
Palm kernel expeller, from crushing, at plant	ID, MY	2
Palm kernels, consumption mix, at feed compound plant	NL	1
Palm kernels, from crude palm oil production, at plant	ID, MY	2
Palm oil, consumption mix, at feed compound plant	NL	1
Paraquat, at plant	RER	1
Parathion, at plant	RER	1
Parathion, methyl, at plant	RER	1
Pea dry, consumption mix, at feed compound plant	NL	1
Pea, at farm	AU, CN, CZ, DE, ES, FR, IT, RO, SE, UK	10
Pea, canned, at plant	RER	1
Pea, fibres, at plant	RER	1
Pea, hulls (from meal), at plant	RER	1
Pea, hulls (from protein-concentrate), at plant	RER	1
Pea, hulls (from protein-isolate), at plant	RER	1
Pea, meal, at plant	RER	1
Pea, protein-concentrate, at plant	RER	1
Pea, protein-isolate, at plant	RER	1
Pea, seed, at farm	AU, CN, CZ, DE, ES, FR, IT, RO, SE, UK	10
Pea, slurry (from protein-isolate), at plant	RER	1
Pea, starch (from protein-concentrate), at plant	RER	1
Pea, starch (from protein-isolate), at plant	RER	1
Phenoxyacetic herbicides, at plant	RER	1
Phenyl organothiophosphate insecticides, at plant	RER	1
Phenylurea herbicides, at plant	RER	1
Phorate, at plant	RER	1
Phosphate rock (32% P2O5, 50% CaO) (NPK 0-32-0)	RER	1
Phosphoric acid, merchant grade (75% H3PO4) (NPK 0-54-0), at plant	RER	1
Phthalimide fungicides, at plant	RER	1
Pig co-product, feed grade, at slaughterhouse	NL	1
Pig co-product, food grade, at slaughterhouse	NL	1
Pig co-product, other, at slaughterhouse	NL	1
Pig feed, fattening pigs	NL	1
Pig feed, piglets	NL	1
Pig feed, sows	NL	1

## Agri-footprint 4.0

Products	Countries/Regions covered	Coverage
Pig feed, with 1.5% HumVi, piglets	NL	1
Pig meat, fresh, at slaughterhouse	NL	1
Pigeon pea, at farm	IN	1
Pigeon pea, seed, at farm	IN	1
Piglets, sow-piglet system, at farm	NL	1
Piglets, sow-piglet system, with HumVi, at farm	NL	1
Pigs to slaughter, pig fattening, at farm	NL	1
PK compound (NPK 0-22-22), at plant	RER	1
PK compound (NPK 0-22-22), at regional storehouse	RER	1
Plant growth regulator, at plant	RER	1
Polymeric dithiocarbamate fungicides, at plant	RER	1
Potassium chloride (NPK 0-0-60), at plant	RER	1
Potassium chloride (NPK 0-0-60), at regional storehouse	RER	1
Potassium sulphate (NPK 0-0-50), at regional storehouse	RER	1
Potassium sulphate (NPK 0-0-50), Mannheim process, at plant	RER	1
Potato juice concentrated, consumption mix, at feed compound plant	NL	1
Potato juice concentrated, from wet milling, at plant	DE, NL	2
Potato protein, consumption mix, at feed compound plant	NL	1
Potato protein, from wet milling, at plant	DE, NL	2
Potato pulp pressed fresh+silage, consumption mix, at feed compound plant	NL	1
Potato pulp pressed fresh+silage, from wet milling, at plant	DE, NL	2
Potato pulp pressed, consumption mix, at feed compound plant	NL	1
Potato pulp, dried, consumption mix, at feed compound plant	NL	1
Potato pulp, from drying, at plant	DE, NL	2
Potato starch dried, consumption mix, at feed compound plant	NL	1
Potato starch dried, from wet milling, at plant	DE, NL	2
Potato, at farm	AT, BE, BG, CH, CN, CZ, DE, DK, EE, ES, FI, FR, GR, HU, IN, IT, LT, LV, NL, NO, PL, PT, RO, RU, SE	25
Potato, seed, at farm	AT, BE, BG, CH, CN, CZ, DE, DK, EE, ES, FI, FR, GR, HU, IN, IT, LT, LV, NL, NO, PL, PT, RO, RU, SE	25
Potatoes, market mix, at regional storage	DE, NL	2
Process steam, sulfuric acid production	RER	1
Propachlor, at plant	RER	1
Propanil, at plant	RER	1
Pyrethroid ester insecticides, at plant	RER	1
Quaternary ammonium herbicides, at plant	RER	1
Rapeseed dried, from drying, at plant	AT, BE, CZ, DE, DK, FR, NL, PL, UK, US	10
Rapeseed expeller, consumption mix, at feed compound plant	NL	1

## Agri-footprint 4.0

Products	Countries/Regions covered	Coverage
Rapeseed expeller, from crushing (pressing), at plant	BE, DE, NL	3
Rapeseed meal, consumption mix, at feed compound plant	IE, NL	2
Rapeseed meal, from crushing (solvent), at plant	AT, BE, CN, CZ, DE, DK, FR, NL, PL, UK, US	11
Rapeseed, at farm	AT, AU, BE, BG, CA, CH, CN, CZ, DE, DK, ES, FI, FR, GR, HU, IN, IT, LT, LV, NL, NO, PL, RO, SE, SI, UA, UK, US	28
Rapeseed, market mix, at regional storage	AT, BE, CZ, DE, DK, FR, NL, PL, UK, US	10
Rapeseed, seed, at farm	AT, AU, BE, BG, CA, CH, CN, CZ, DE, DK, ES, FI, FR, GR, HU, IN, IT, LT, LV, NL, NO, PL, RO, SE, SI, UA, UK, US	28
Raw milk, at dairy farm, PEF compliant	NL	1
Raw milk, at dairy farm	NL	1
Refined coconut oil, at plant	ID, IN, PH	3
Refined maize germ oil, (pressing), at plant	DE, FR, NL, US	4
Refined maize germ oil, (solvent), at plant	DE, FR, NL, US	4
Refined palm kernel oil, at plant	ID, MY	2
Refined palm oil, at plant	NL	1
Refined rapeseed oil, from crushing (pressing), at plant	BE, DE, NL	3
Refined rapeseed oil, from crushing (solvent), at plant	BE, DE, NL, US	4
Refined rice bran oil, at plant	CN	1
Refined soybean oil, from crushing (pressing), at plant	AR, BR, NL	3
Refined soybean oil, from crushing (solvent), at plant	AR, BR, NL	3
Refined soybean oil, from crushing (solvent, for protein concentrate), at plant	AR, BR, DE, ES, IT, NL, PT, UK	8
Refined sunflower oil, from crushing (pressing) at plant	AR, CN, UA	3
Refined sunflower oil, from crushing (solvent) at plant	AR, CN, UA	3
Rice bran meal, solvent extracted, consumption mix, at feed compound plant	NL	1
Rice bran meal, solvent extracted, from rice bran oil production, at plant	CN	1
Rice bran, from dry milling, at plant	CN	1
Rice bran, from dry milling, parboiled, at plant	CN	1
Rice bran, from dry milling, raw, at plant	CN	1
Rice brokens, from dry milling, at plant	CN	1
Rice brokens, from dry milling, parboiled, at plant	CN	1
Rice brokens, from dry milling, raw, at plant	CN	1
Rice feed meal, consumption mix, at feed compound plant	NL	1
Rice feed meal, mixing brans and husks, at plant	CN	1
Rice fibre, protein extraction, at plant	GLO	1
Rice husk meal, consumption mix, at feed compound plant	NL	1
Rice husk meal, from dry milling, at plant	CN	1
Rice husk meal, from dry milling, parboiled, at plant	CN	1
Rice husk meal, from dry milling, raw, at plant	CN	1

## Agri-footprint 4.0

Products	Countries/Regions covered	Coverage
Rice husk, from dry milling, at plant	CN	1
Rice husk, from dry milling, parboiled, at plant	CN	1
Rice husk, from dry milling, raw, at plant	CN	1
Rice protein, protein extraction, at plant	GLO	1
Rice starch, protein extraction, at plant	GLO	1
Rice with hulls, consumption mix, at feed compound plant	NL	1
Rice without hulls, consumption mix, at feed compound plant	NL	1
Rice without husks, from dry milling, at plant	CN	1
Rice without husks, from dry milling, parboiled at plant	CN	1
Rice without husks, from dry milling, raw, at plant	CN	1
Rice, at farm	CN, IN, US-AR, US-CA, US-LA, US-MO, US-MS, US-TX	8
Rice, early, alternate wet and dry, at farm	CN	1
Rice, early, continuous flooding, at farm	CN	1
Rice, late, alternate wet and dry, at farm	CN	1
Rice, late, continuous flooding, at farm	CN	1
Rice, production mix, at farm	US	1
Rice, seed, at farm	CN, IN, US-AR, US-CA, US-LA, US-MO, US-MS, US-TX	8
Rice, single, alternate wet and dry, at farm	CN	1
Rice, single, continuous flooding, at farm	CN	1
Rye flour, from dry milling, at plant	BE, DE, NL	3
Rye grain, at farm	AT, BE, BG, CZ, DE, DK, EE, ES, FI, FR, GR, HU, IT, LT, LV, NO, PL, PT, RO, SE, SK	21
Rye grain, consumption mix, at feed compound plant	NL	1
Rye grain, dried, at farm	AT, BE, BG, CZ, DE, DK, EE, ES, FI, FR, GR, HU, IT, LT, LV, NO, PL, PT, RO, SE, SK	21
Rye grain, market mix, at regional storage	BE, DE, NL	3
Rye grain, seed, at farm	AT, BE, BG, CZ, DE, DK, EE, ES, FI, FR, GR, HU, IT, LT, LV, NO, PL, PT, RO, SE, SK	21
Rye middlings, consumption mix, at feed compound plant	NL	1
Rye middlings, from dry milling, at plant	BE, DE, NL	3
Rye straw, at farm	AT, BE, BG, CZ, DE, DK, EE, ES, FI, FR, GR, HU, IT, LT, LV, NO, PL, PT, RO, SE, SK	21
Rye straw, consumption mix, at feed compound plant	NL	1
Rye straw, seed, at farm	AT, BE, BG, CZ, DE, DK, EE, ES, FI, FR, GR, HU, IT, LT, LV, NO, PL, PT, RO, SE, SK	21
Silo, for grain storage, at farm	GLO	1
Single superphosphate, as 35% Ca(H <sub>2</sub> PO <sub>4</sub> ) <sub>2</sub> (NPK 0-21-0), at plant	RER	1
Single superphosphate, as 35% Ca(H <sub>2</sub> PO <sub>4</sub> ) <sub>2</sub> (NPK 0-21-0), at regional storehouse	RER	1

Agri-footprint 4.0

Products	Countries/Regions covered	Coverage
Soap stock (coconut oil refining), at plant	ID, IN, PH	3
Soap stock (maize germ oil, pressing), at plant	DE, FR, NL, US	4
Soap stock (maize germ oil, solvent), at plant	DE, FR, NL, US	4
Soap stock (palm kernel oil refining), at plant	ID, MY	2
Soap stock (rapeseed pressure crushing), at plant	BE, DE, NL	3
Soap stock (rapeseed solvent crushing), at plant	BE, DE, NL, US	4
Soap stock (rice bran oil refining), at plant	CN	1
Soap stock (soybean pressure crushing), at plant	AR, BR, NL	3
Soap stock (soybean protein concentrate production), at plant	AR, BR, DE, ES, IT, NL, PT, UK	8
Soap stock (soybean solvent crushing), at plant	AR, BR, NL	3
Soap stock (sunflower pressure crushing), at plant	AR, CN, UA	3
Soap stock (sunflower solvent crushing), at plant	AR, CN, UA	3
Sodium hydroxide (50% NaOH), production mix	RER	1
Sodium hydroxide, from amalgam technology (50% NaOH), at plant	RER	1
Sodium hydroxide, from concentrating diaphragm technology (50% NaOH) at plant	RER	1
Sodium hydroxide, from concentrating membrane (50% NaOH), at plant	RER	1
Sodium hydroxide, from diaphragm technology (12% NaOH), at plant	RER	1
Sodium hydroxide, from membrane technology (33% NaOH), at plant	RER	1
Sorghum, at farm	AR, IN, MX, NG, US, ZA	6
Sorghum, consumption mix, at feed compound plant	NL	1
Sorghum, seed, at farm	AR, IN, MX, NG, US, ZA	6
Sow to slaughter, sow-piglet system, at farm	NL	1
Sow to slaughter, sow-piglet system, with HumVi at farm	NL	1
Soy protein concentrate, consumption mix, at feed compound plant	NL	1
Soybean expeller, consumption mix, at feed compound plant	NL	1
Soybean expeller, from crushing (pressing), at plant	AR, BR, DE, ES, FR, IT, NL, PT, UK	9
Soybean hulls, consumption mix, at feed compound plant	NL	1
Soybean hulls, from crushing (solvent), at plant	AR, BR, DE, ES, FR, IT, NL, PT, UK, US	10
Soybean hulls, from crushing (solvent, for protein concentrate), at plant	AR, BR, DE, ES, FR, IT, NL, PT, UK	9
Soybean lecithin, from crushing (solvent), at plant	DE, ES, FR, IT, NL, PT, UK	7
Soybean meal, consumption mix, at feed compound plant	NL	1
Soybean meal, from crushing (solvent), at plant	AR, BR, DE, ES, FR, IT, NL, PT, UK, US	10
Soybean molasses, from crushing (solvent, for protein concentrate), at plant	AR, BR, DE, ES, FR, IT, NL, PT, UK	9
Soybean protein concentrate, from crushing (solvent, for protein concentrate), at plant	AR, BR, DE, ES, FR, IT, NL, PT, UK	9
Soybean, at farm	AR, BR, CA, CN, FR, HU, IN, IT, MX, PL, RO, US-AR, US-IA, US-IL, US-IN, US-KS, US-KY, US-LA, US-MD, US-MI, US-MN, US-MO, US-MS, US-NC, US-ND, US-NE, US-OH, US-PA, US-SD, US-TN, US-VA, US-WI, US	33

## Agri-footprint 4.0

Products	Countries/Regions covered	Coverage
Soybean, consumption mix, at feed compound plant	IE, NL	2
Soybean, heat treated, consumption mix, at feed compound plant	NL	1
Soybean, heat treated, from heat treating, at plant	NL	1
Soybean, market mix, at regional storage	AR, BR, DE, ES, FR, IT, NL, PT, UK, US	10
Soybean, production mix, at farm	US	1
Soybean, seed, at farm	AR, BR, CA, CN, FR, HU, IN, IT, MX, PL, RO, US-AR, US-IA, US-IL, US-IN, US-KS, US-KY, US-LA, US-MD, US-MI, US-MN, US-MO, US-MS, US-NC, US-ND, US-NE, US-OH, US-PA, US-SD, US-TN, US-VA, US-WI, US	33
Spinach, at farm	BE, NL	2
Spinach, seed, at farm	BE, NL	2
Standardized milk, full, from processing, at plant	NL	1
Standardized milk, skimmed, from processing, at plant	NL	1
Sugar beet molasses, consumption mix, at feed compound plant	NL	1
Sugar beet molasses, from sugar production, at plant	BE, DE, ES, FR, IT, PL, UK	7
Sugar beet molasses, from sugar production, at Suiker Unie plants	NL	1
Sugar beet pulp, dried, consumption mix, at feed compound plant	NL	1
Sugar beet pulp, dried, from pulp drying, at plant	DE	1
Sugar beet pulp, dried, from pulp drying, at Suiker Unie plants	NL	1
Sugar beet pulp, pressed, from wet pulp pressing, at Suiker Unie plants	NL	1
Sugar beet pulp, wet, consumption mix, at feed compound plant	NL	1
Sugar beet pulp, wet, from sugar production, at plant	BE, DE, ES, FR, IT, PL, UK	7
Sugar beet pulp, wet, from sugar production, at Suiker Unie plants	NL	1
Sugar beet, at farm	AT, BE, CH, CZ, DE, DK, ES, FI, FR, HU, IT, LT, NL, PL, RO, SE, UA, UK	18
Sugar beet, market mix, at regional storage	BE, DE, ES, FR, IT, NL, PL, UK	8
Sugar beet, seed, at farm	AT, BE, CH, CZ, DE, DK, ES, FI, FR, HU, IT, LT, NL, PL, RO, SE, UA, UK	18
Sugar beets fresh, consumption mix, at feed compound plant	NL	1
Sugar cane molasses, consumption mix, at feed compound plant	IE, NL	2
Sugar cane molasses, from sugar production, at plant	AU, BR, IN, PK, SD, US	6
Sugar cane, at farm	AR, AU, BR, CN, CO, ID, IN, PK, SD, TH, US, VE	12
Sugar cane, seed, at farm	AR, AU, BR, CN, CO, ID, IN, PK, SD, TH, US, VE	12
Sugar, from sugar beet, from sugar production, at plant	BE, DE, ES, FR, IT, PL, UK	7
Sugar, from sugar beet, from sugar production, at Suiker Unie plants	NL	1
Sugar, from sugar beets, consumption mix, at feed compound plant	NL	1
Sugar, from sugar cane, from sugar production, at plant	AU, BR, IN, PK, SD, US	6
Sulfur dioxide, at plant	RER	1

## Agri-footprint 4.0

Products	Countries/Regions covered	Coverage
Sulfuric acid (98% H2SO4), at plant	RER	1
Sunflower seed dehulled, consumption mix, at feed compound plant	NL	1
Sunflower seed dehulled, from dehulling (full), at plant	AR, CN, UA	3
Sunflower seed expelled dehulled, consumption mix, at feed compound plant	NL	1
Sunflower seed expelled dehulled, from crushing (pressing), at plant	AR, CN, UA	3
Sunflower seed meal, consumption mix, at feed compound plant	NL	1
Sunflower seed meal, from crushing (solvent), at plant	AR, BG, CN, DE, ES, FR, HU, IT, NL, RO, UA	11
Sunflower seed partly dehulled, consumption mix, at feed compound plant	NL	1
Sunflower seed partly dehulled, from dehulling (partial), at plant	AR, CN, UA	3
Sunflower seed with hulls, consumption mix, at feed compound plant	NL	1
Sunflower seed, at farm	AR, BG, CN, CZ, ES, FR, GR, HU, IT, RO, UA	11
Sunflower seed, market mix, at regional storage	AR, BG, CN, DE, ES, FR, HU, IT, NL, RO, UA	11
Sunflower seed, seed, at farm	AR, BG, CN, CZ, ES, FR, GR, HU, IT, RO, UA	11
Tapioca starch, from processing with use of co-products, at plant	TH	1
Tapioca starch, from processing without use of co-products, at plant	TH	1
Tapioca, consumption mix, at feed compound plant	NL	1
Technical aid, for Meatless, at plant	NL	1
Tetradifon, at plant	RER	1
Thiocarbamate herbicides, at plant	RER	1
Tractor, production, at plant	RER	1
Transport, airplane, Boeing 747-200F, long	GLO	1
Transport, airplane, Boeing 747-200F, middle	GLO	1
Transport, airplane, Boeing 747-200F, short	GLO	1
Transport, airplane, Boeing 747-400F, long	GLO	1
Transport, airplane, Boeing 747-400F, middle	GLO	1
Transport, airplane, Boeing 747-400F, short	GLO	1
Transport, airplane, Fokker 100, middle	GLO	1
Transport, airplane, Fokker 100, short	GLO	1
Transport, barge ship, bulk, 12000t, 100%LF, default	GLO	1
Transport, barge ship, bulk, 12000t, 100%LF, empty return	GLO	1
Transport, barge ship, bulk, 12000t, 50%LF, default	GLO	1
Transport, barge ship, bulk, 12000t, 50%LF, empty return	GLO	1
Transport, barge ship, bulk, 12000t, 80%LF, default	GLO	1
Transport, barge ship, bulk, 12000t, 80%LF, empty return	GLO	1
Transport, barge ship, bulk, 1350t, 100%LF, default	GLO	1
Transport, barge ship, bulk, 1350t, 100%LF, empty return	GLO	1
Transport, barge ship, bulk, 1350t, 50%LF, default	GLO	1
Transport, barge ship, bulk, 1350t, 50%LF, empty return	GLO	1



Agri-footprint 4.0

Products	Countries/Regions covered	Coverage
Transport, barge ship, bulk, 1350t, 80%LF, default	GLO	1
Transport, barge ship, bulk, 1350t, 80%LF, empty return	GLO	1
Transport, barge ship, bulk, 350t, 100%LF, default	GLO	1
Transport, barge ship, bulk, 350t, 100%LF, empty return	GLO	1
Transport, barge ship, bulk, 350t, 50%LF, default	GLO	1
Transport, barge ship, bulk, 350t, 50%LF, empty return	GLO	1
Transport, barge ship, bulk, 350t, 80%LF, default	GLO	1
Transport, barge ship, bulk, 350t, 80%LF, empty return	GLO	1
Transport, barge ship, bulk, 5500t, 100%LF, default	GLO	1
Transport, barge ship, bulk, 5500t, 100%LF, empty return	GLO	1
Transport, barge ship, bulk, 5500t, 50%LF, default	GLO	1
Transport, barge ship, bulk, 5500t, 50%LF, empty return	GLO	1
Transport, barge ship, bulk, 5500t, 80%LF, default	GLO	1
Transport, barge ship, bulk, 5500t, 80%LF, empty return	GLO	1
Transport, barge ship, bulk, 550t, 100%LF, default	GLO	1
Transport, barge ship, bulk, 550t, 100%LF, empty return	GLO	1
Transport, barge ship, bulk, 550t, 50%LF, default	GLO	1
Transport, barge ship, bulk, 550t, 50%LF, empty return	GLO	1
Transport, barge ship, bulk, 550t, 80%LF, default	GLO	1
Transport, barge ship, bulk, 550t, 80%LF, empty return	GLO	1
Transport, barge ship, container, 2000t, 100%LF, default	GLO	1
Transport, barge ship, container, 2000t, 100%LF, empty return	GLO	1
Transport, barge ship, container, 2000t, 50%LF, default	GLO	1
Transport, barge ship, container, 2000t, 50%LF, empty return	GLO	1
Transport, barge ship, container, 2000t, 80%LF, default	GLO	1
Transport, barge ship, container, 2000t, 80%LF, empty return	GLO	1
Transport, barge ship, container, 320t, 100%LF, default	GLO	1
Transport, barge ship, container, 320t, 100%LF, empty return	GLO	1
Transport, barge ship, container, 320t, 50%LF, default	GLO	1
Transport, barge ship, container, 320t, 50%LF, empty return	GLO	1
Transport, barge ship, container, 320t, 80%LF, default	GLO	1
Transport, barge ship, container, 320t, 80%LF, empty return	GLO	1
Transport, barge ship, container, 4700t, 100%LF, default	GLO	1
Transport, barge ship, container, 4700t, 100%LF, empty return	GLO	1
Transport, barge ship, container, 4700t, 50%LF, default	GLO	1
Transport, barge ship, container, 4700t, 50%LF, empty return	GLO	1
Transport, barge ship, container, 4700t, 80%LF, default	GLO	1
Transport, barge ship, container, 4700t, 80%LF, empty return	GLO	1

Agri-footprint 4.0

Products	Countries/Regions covered	Coverage
Transport, barge ship, container, 960t, 100%LF, default	GLO	1
Transport, barge ship, container, 960t, 100%LF, empty return	GLO	1
Transport, barge ship, container, 960t, 50%LF, default	GLO	1
Transport, barge ship, container, 960t, 50%LF, empty return	GLO	1
Transport, barge ship, container, 960t, 80%LF, default	GLO	1
Transport, barge ship, container, 960t, 80%LF, empty return	GLO	1
Transport, freight train, diesel, bulk, 100%LF, flat terrain, default	GLO	1
Transport, freight train, diesel, bulk, 100%LF, flat terrain, empty return	GLO	1
Transport, freight train, diesel, bulk, 100%LF, hilly terrain, default	GLO	1
Transport, freight train, diesel, bulk, 100%LF, hilly terrain, empty return	GLO	1
Transport, freight train, diesel, bulk, 100%LF, mountainous terrain, default	GLO	1
Transport, freight train, diesel, bulk, 100%LF, mountainous terrain, empty return	GLO	1
Transport, freight train, diesel, bulk, 50%LF, flat terrain, default	GLO	1
Transport, freight train, diesel, bulk, 50%LF, flat terrain, empty return	GLO	1
Transport, freight train, diesel, bulk, 50%LF, hilly terrain, default	GLO	1
Transport, freight train, diesel, bulk, 50%LF, hilly terrain, empty return	GLO	1
Transport, freight train, diesel, bulk, 50%LF, mountainous terrain, default	GLO	1
Transport, freight train, diesel, bulk, 50%LF, mountainous terrain, empty return	GLO	1
Transport, freight train, diesel, bulk, 80%LF, flat terrain, default	GLO	1
Transport, freight train, diesel, bulk, 80%LF, flat terrain, empty return	GLO	1
Transport, freight train, diesel, bulk, 80%LF, hilly terrain, default	GLO	1
Transport, freight train, diesel, bulk, 80%LF, hilly terrain, empty return	GLO	1
Transport, freight train, diesel, bulk, 80%LF, mountainous terrain, default	GLO	1
Transport, freight train, diesel, bulk, 80%LF, mountainous terrain, empty return	GLO	1
Transport, freight train, diesel, container, 100%LF, flat terrain, default	GLO	1
Transport, freight train, diesel, container, 100%LF, hilly terrain, default	GLO	1
Transport, freight train, diesel, container, 100%LF, mountainous terrain, default	GLO	1
Transport, freight train, diesel, container, 50%LF, flat terrain, default	GLO	1
Transport, freight train, diesel, container, 50%LF, hilly terrain, default	GLO	1
Transport, freight train, diesel, container, 50%LF, mountainous terrain, default	GLO	1
Transport, freight train, diesel, container, 80%LF, flat terrain, default	GLO	1
Transport, freight train, diesel, container, 80%LF, hilly terrain, default	GLO	1
Transport, freight train, diesel, container, 80%LF, mountainous terrain, default	GLO	1
Transport, freight train, electricity, bulk, 100%LF, flat terrain, default	GLO	1
Transport, freight train, electricity, bulk, 100%LF, flat terrain, empty return	GLO	1
Transport, freight train, electricity, bulk, 100%LF, hilly terrain, default	GLO	1
Transport, freight train, electricity, bulk, 100%LF, hilly terrain, empty return	GLO	1
Transport, freight train, electricity, bulk, 100%LF, mountainous terrain, default	GLO	1

## Agri-footprint 4.0

Products	Countries/Regions covered	Coverage
Transport, freight train, electricity, bulk, 100%LF, mountainous terrain, empty return	GLO	1
Transport, freight train, electricity, bulk, 50%LF, flat terrain, default	GLO	1
Transport, freight train, electricity, bulk, 50%LF, flat terrain, empty return	GLO	1
Transport, freight train, electricity, bulk, 50%LF, hilly terrain, default	GLO	1
Transport, freight train, electricity, bulk, 50%LF, hilly terrain, empty return	GLO	1
Transport, freight train, electricity, bulk, 50%LF, mountainous terrain, default	GLO	1
Transport, freight train, electricity, bulk, 50%LF, mountainous terrain, empty return	GLO	1
Transport, freight train, electricity, bulk, 80%LF, flat terrain, default	GLO	1
Transport, freight train, electricity, bulk, 80%LF, flat terrain, empty return	GLO	1
Transport, freight train, electricity, bulk, 80%LF, hilly terrain, default	GLO	1
Transport, freight train, electricity, bulk, 80%LF, hilly terrain, empty return	GLO	1
Transport, freight train, electricity, bulk, 80%LF, mountainous terrain, default	GLO	1
Transport, freight train, electricity, bulk, 80%LF, mountainous terrain, empty return	GLO	1
Transport, freight train, electricity, container, 100%LF, flat terrain, default	GLO	1
Transport, freight train, electricity, container, 100%LF, hilly terrain, default	GLO	1
Transport, freight train, electricity, container, 100%LF, mountainous terrain, default	GLO	1
Transport, freight train, electricity, container, 50%LF, flat terrain, default	GLO	1
Transport, freight train, electricity, container, 50%LF, hilly terrain, default	GLO	1
Transport, freight train, electricity, container, 50%LF, mountainous terrain, default	GLO	1
Transport, freight train, electricity, container, 80%LF, flat terrain, default	GLO	1
Transport, freight train, electricity, container, 80%LF, hilly terrain, default	GLO	1
Transport, freight train, electricity, container, 80%LF, mountainous terrain, default	GLO	1
Transport, sea ship, 10000 DWT, 100%LF, long, default	GLO	1
Transport, sea ship, 10000 DWT, 100%LF, long, empty return	GLO	1
Transport, sea ship, 10000 DWT, 100%LF, middle, default	GLO	1
Transport, sea ship, 10000 DWT, 100%LF, middle, empty return	GLO	1
Transport, sea ship, 10000 DWT, 100%LF, short, default	GLO	1
Transport, sea ship, 10000 DWT, 100%LF, short, empty return	GLO	1
Transport, sea ship, 10000 DWT, 50%LF, long, default	GLO	1
Transport, sea ship, 10000 DWT, 50%LF, long, empty return	GLO	1
Transport, sea ship, 10000 DWT, 50%LF, middle, default	GLO	1
Transport, sea ship, 10000 DWT, 50%LF, middle, empty return	GLO	1
Transport, sea ship, 10000 DWT, 50%LF, short, default	GLO	1
Transport, sea ship, 10000 DWT, 50%LF, short, empty return	GLO	1
Transport, sea ship, 10000 DWT, 80%LF, long, default	GLO	1
Transport, sea ship, 10000 DWT, 80%LF, long, empty return	GLO	1
Transport, sea ship, 10000 DWT, 80%LF, middle, default	GLO	1
Transport, sea ship, 10000 DWT, 80%LF, middle, empty return	GLO	1

Agri-footprint 4.0

Products	Countries/Regions covered	Coverage
Transport, sea ship, 10000 DWT, 80%LF, short, default	GLO	1
Transport, sea ship, 10000 DWT, 80%LF, short, empty return	GLO	1
Transport, sea ship, 120000 DWT, 100%LF, long, default	GLO	1
Transport, sea ship, 120000 DWT, 100%LF, long, empty return	GLO	1
Transport, sea ship, 120000 DWT, 100%LF, middle, default	GLO	1
Transport, sea ship, 120000 DWT, 100%LF, middle, empty return	GLO	1
Transport, sea ship, 120000 DWT, 100%LF, short, default	GLO	1
Transport, sea ship, 120000 DWT, 100%LF, short, empty return	GLO	1
Transport, sea ship, 120000 DWT, 50%LF, long, default	GLO	1
Transport, sea ship, 120000 DWT, 50%LF, long, empty return	GLO	1
Transport, sea ship, 120000 DWT, 50%LF, middle, default	GLO	1
Transport, sea ship, 120000 DWT, 50%LF, middle, empty return	GLO	1
Transport, sea ship, 120000 DWT, 50%LF, short, default	GLO	1
Transport, sea ship, 120000 DWT, 50%LF, short, empty return	GLO	1
Transport, sea ship, 120000 DWT, 80%LF, long, default	GLO	1
Transport, sea ship, 120000 DWT, 80%LF, long, empty return	GLO	1
Transport, sea ship, 120000 DWT, 80%LF, middle, default	GLO	1
Transport, sea ship, 120000 DWT, 80%LF, middle, empty return	GLO	1
Transport, sea ship, 120000 DWT, 80%LF, short, default	GLO	1
Transport, sea ship, 120000 DWT, 80%LF, short, empty return	GLO	1
Transport, sea ship, 15000 DWT, 100%LF, long, default	GLO	1
Transport, sea ship, 15000 DWT, 100%LF, long, empty return	GLO	1
Transport, sea ship, 15000 DWT, 100%LF, middle, default	GLO	1
Transport, sea ship, 15000 DWT, 100%LF, middle, empty return	GLO	1
Transport, sea ship, 15000 DWT, 100%LF, short, default	GLO	1
Transport, sea ship, 15000 DWT, 100%LF, short, empty return	GLO	1
Transport, sea ship, 15000 DWT, 50%LF, long, default	GLO	1
Transport, sea ship, 15000 DWT, 50%LF, long, empty return	GLO	1
Transport, sea ship, 15000 DWT, 50%LF, middle, default	GLO	1
Transport, sea ship, 15000 DWT, 50%LF, middle, empty return	GLO	1
Transport, sea ship, 15000 DWT, 50%LF, short, default	GLO	1
Transport, sea ship, 15000 DWT, 50%LF, short, empty return	GLO	1
Transport, sea ship, 15000 DWT, 80%LF, long, default	GLO	1
Transport, sea ship, 15000 DWT, 80%LF, long, empty return	GLO	1
Transport, sea ship, 15000 DWT, 80%LF, middle, default	GLO	1
Transport, sea ship, 15000 DWT, 80%LF, middle, empty return	GLO	1
Transport, sea ship, 15000 DWT, 80%LF, short, default	GLO	1
Transport, sea ship, 15000 DWT, 80%LF, short, empty return	GLO	1

Agri-footprint 4.0

Products	Countries/Regions covered	Coverage
Transport, sea ship, 35000 DWT, 100%LF, long, default	GLO	1
Transport, sea ship, 35000 DWT, 100%LF, long, empty return	GLO	1
Transport, sea ship, 35000 DWT, 100%LF, middle, default	GLO	1
Transport, sea ship, 35000 DWT, 100%LF, middle, empty return	GLO	1
Transport, sea ship, 35000 DWT, 100%LF, short, default	GLO	1
Transport, sea ship, 35000 DWT, 100%LF, short, empty return	GLO	1
Transport, sea ship, 35000 DWT, 50%LF, long, default	GLO	1
Transport, sea ship, 35000 DWT, 50%LF, long, empty return	GLO	1
Transport, sea ship, 35000 DWT, 50%LF, middle, default	GLO	1
Transport, sea ship, 35000 DWT, 50%LF, middle, empty return	GLO	1
Transport, sea ship, 35000 DWT, 50%LF, short, default	GLO	1
Transport, sea ship, 35000 DWT, 50%LF, short, empty return	GLO	1
Transport, sea ship, 35000 DWT, 80%LF, long, default	GLO	1
Transport, sea ship, 35000 DWT, 80%LF, long, empty return	GLO	1
Transport, sea ship, 35000 DWT, 80%LF, middle, default	GLO	1
Transport, sea ship, 35000 DWT, 80%LF, middle, empty return	GLO	1
Transport, sea ship, 35000 DWT, 80%LF, short, default	GLO	1
Transport, sea ship, 35000 DWT, 80%LF, short, empty return	GLO	1
Transport, sea ship, 5000 DWT, 100%LF, long, default	GLO	1
Transport, sea ship, 5000 DWT, 100%LF, long, empty return	GLO	1
Transport, sea ship, 5000 DWT, 100%LF, middle, default	GLO	1
Transport, sea ship, 5000 DWT, 100%LF, middle, empty return	GLO	1
Transport, sea ship, 5000 DWT, 100%LF, short, default	GLO	1
Transport, sea ship, 5000 DWT, 100%LF, short, empty return	GLO	1
Transport, sea ship, 5000 DWT, 50%LF, long, default	GLO	1
Transport, sea ship, 5000 DWT, 50%LF, long, empty return	GLO	1
Transport, sea ship, 5000 DWT, 50%LF, middle, default	GLO	1
Transport, sea ship, 5000 DWT, 50%LF, middle, empty return	GLO	1
Transport, sea ship, 5000 DWT, 50%LF, short, default	GLO	1
Transport, sea ship, 5000 DWT, 50%LF, short, empty return	GLO	1
Transport, sea ship, 5000 DWT, 80%LF, long, default	GLO	1
Transport, sea ship, 5000 DWT, 80%LF, long, empty return	GLO	1
Transport, sea ship, 5000 DWT, 80%LF, middle, default	GLO	1
Transport, sea ship, 5000 DWT, 80%LF, middle, empty return	GLO	1
Transport, sea ship, 5000 DWT, 80%LF, short, default	GLO	1
Transport, sea ship, 5000 DWT, 80%LF, short, empty return	GLO	1
Transport, sea ship, 50000 DWT, 100%LF, long, default	GLO	1
Transport, sea ship, 50000 DWT, 100%LF, long, empty return	GLO	1

Agri-footprint 4.0

Products	Countries/Regions covered	Coverage
Transport, sea ship, 50000 DWT, 100%LF, middle, default	GLO	1
Transport, sea ship, 50000 DWT, 100%LF, middle, empty return	GLO	1
Transport, sea ship, 50000 DWT, 100%LF, short, default	GLO	1
Transport, sea ship, 50000 DWT, 100%LF, short, empty return	GLO	1
Transport, sea ship, 50000 DWT, 50%LF, long, default	GLO	1
Transport, sea ship, 50000 DWT, 50%LF, long, empty return	GLO	1
Transport, sea ship, 50000 DWT, 50%LF, middle, default	GLO	1
Transport, sea ship, 50000 DWT, 50%LF, middle, empty return	GLO	1
Transport, sea ship, 50000 DWT, 50%LF, short, default	GLO	1
Transport, sea ship, 50000 DWT, 50%LF, short, empty return	GLO	1
Transport, sea ship, 50000 DWT, 80%LF, long, default	GLO	1
Transport, sea ship, 50000 DWT, 80%LF, long, empty return	GLO	1
Transport, sea ship, 50000 DWT, 80%LF, middle, default	GLO	1
Transport, sea ship, 50000 DWT, 80%LF, middle, empty return	GLO	1
Transport, sea ship, 50000 DWT, 80%LF, short, default	GLO	1
Transport, sea ship, 50000 DWT, 80%LF, short, empty return	GLO	1
Transport, sea ship, 60000 DWT, 100%LF, long, default	GLO	1
Transport, sea ship, 60000 DWT, 100%LF, long, empty return	GLO	1
Transport, sea ship, 60000 DWT, 100%LF, middle, default	GLO	1
Transport, sea ship, 60000 DWT, 100%LF, middle, empty return	GLO	1
Transport, sea ship, 60000 DWT, 100%LF, short, default	GLO	1
Transport, sea ship, 60000 DWT, 100%LF, short, empty return	GLO	1
Transport, sea ship, 60000 DWT, 50%LF, long, default	GLO	1
Transport, sea ship, 60000 DWT, 50%LF, long, empty return	GLO	1
Transport, sea ship, 60000 DWT, 50%LF, middle, default	GLO	1
Transport, sea ship, 60000 DWT, 50%LF, middle, empty return	GLO	1
Transport, sea ship, 60000 DWT, 50%LF, short, default	GLO	1
Transport, sea ship, 60000 DWT, 50%LF, short, empty return	GLO	1
Transport, sea ship, 60000 DWT, 80%LF, long, default	GLO	1
Transport, sea ship, 60000 DWT, 80%LF, long, empty return	GLO	1
Transport, sea ship, 60000 DWT, 80%LF, middle, default	GLO	1
Transport, sea ship, 60000 DWT, 80%LF, middle, empty return	GLO	1
Transport, sea ship, 60000 DWT, 80%LF, short, default	GLO	1
Transport, sea ship, 60000 DWT, 80%LF, short, empty return	GLO	1
Transport, sea ship, 80000 DWT, 100%LF, long, default	GLO	1
Transport, sea ship, 80000 DWT, 100%LF, long, empty return	GLO	1
Transport, sea ship, 80000 DWT, 100%LF, middle, default	GLO	1
Transport, sea ship, 80000 DWT, 100%LF, middle, empty return	GLO	1

## Agri-footprint 4.0

Products	Countries/Regions covered	Coverage
Transport, sea ship, 80000 DWT, 100%LF, short, default	GLO	1
Transport, sea ship, 80000 DWT, 100%LF, short, empty return	GLO	1
Transport, sea ship, 80000 DWT, 50%LF, long, default	GLO	1
Transport, sea ship, 80000 DWT, 50%LF, long, empty return	GLO	1
Transport, sea ship, 80000 DWT, 50%LF, middle, default	GLO	1
Transport, sea ship, 80000 DWT, 50%LF, middle, empty return	GLO	1
Transport, sea ship, 80000 DWT, 50%LF, short, default	GLO	1
Transport, sea ship, 80000 DWT, 50%LF, short, empty return	GLO	1
Transport, sea ship, 80000 DWT, 80%LF, long, default	GLO	1
Transport, sea ship, 80000 DWT, 80%LF, long, empty return	GLO	1
Transport, sea ship, 80000 DWT, 80%LF, middle, default	GLO	1
Transport, sea ship, 80000 DWT, 80%LF, middle, empty return	GLO	1
Transport, sea ship, 80000 DWT, 80%LF, short, default	GLO	1
Transport, sea ship, 80000 DWT, 80%LF, short, empty return	GLO	1
Transport, truck <10t, EURO1, 100%LF, default	GLO	1
Transport, truck <10t, EURO1, 100%LF, empty return	GLO	1
Transport, truck <10t, EURO1, 20%LF, default	GLO	1
Transport, truck <10t, EURO1, 20%LF, empty return	GLO	1
Transport, truck <10t, EURO1, 50%LF, default	GLO	1
Transport, truck <10t, EURO1, 50%LF, empty return	GLO	1
Transport, truck <10t, EURO1, 80%LF, default	GLO	1
Transport, truck <10t, EURO1, 80%LF, empty return	GLO	1
Transport, truck <10t, EURO2, 100%LF, default	GLO	1
Transport, truck <10t, EURO2, 100%LF, empty return	GLO	1
Transport, truck <10t, EURO2, 20%LF, default	GLO	1
Transport, truck <10t, EURO2, 20%LF, empty return	GLO	1
Transport, truck <10t, EURO2, 50%LF, default	GLO	1
Transport, truck <10t, EURO2, 50%LF, empty return	GLO	1
Transport, truck <10t, EURO2, 80%LF, default	GLO	1
Transport, truck <10t, EURO2, 80%LF, empty return	GLO	1
Transport, truck <10t, EURO3, 100%LF, default	GLO	1
Transport, truck <10t, EURO3, 100%LF, empty return	GLO	1
Transport, truck <10t, EURO3, 20%LF, default	GLO	1
Transport, truck <10t, EURO3, 20%LF, empty return	GLO	1
Transport, truck <10t, EURO3, 50%LF, default	GLO	1
Transport, truck <10t, EURO3, 50%LF, empty return	GLO	1
Transport, truck <10t, EURO3, 80%LF, default	GLO	1
Transport, truck <10t, EURO3, 80%LF, empty return	GLO	1

Agri-footprint 4.0

Products	Countries/Regions covered	Coverage
Transport, truck <10t, EURO4, 100%LF, default	GLO	1
Transport, truck <10t, EURO4, 100%LF, empty return	GLO	1
Transport, truck <10t, EURO4, 20%LF, default	GLO	1
Transport, truck <10t, EURO4, 20%LF, empty return	GLO	1
Transport, truck <10t, EURO4, 50%LF, default	GLO	1
Transport, truck <10t, EURO4, 50%LF, empty return	GLO	1
Transport, truck <10t, EURO4, 80%LF, default	GLO	1
Transport, truck <10t, EURO4, 80%LF, empty return	GLO	1
Transport, truck <10t, EURO5, 100%LF, default	GLO	1
Transport, truck <10t, EURO5, 100%LF, empty return	GLO	1
Transport, truck <10t, EURO5, 20%LF, default	GLO	1
Transport, truck <10t, EURO5, 20%LF, empty return	GLO	1
Transport, truck <10t, EURO5, 50%LF, default	GLO	1
Transport, truck <10t, EURO5, 50%LF, empty return	GLO	1
Transport, truck <10t, EURO5, 80%LF, default	GLO	1
Transport, truck <10t, EURO5, 80%LF, empty return	GLO	1
Transport, truck >20t, EURO1, 100%LF, default	GLO	1
Transport, truck >20t, EURO1, 100%LF, empty return	GLO	1
Transport, truck >20t, EURO1, 20%LF, default	GLO	1
Transport, truck >20t, EURO1, 20%LF, empty return	GLO	1
Transport, truck >20t, EURO1, 50%LF, default	GLO	1
Transport, truck >20t, EURO1, 50%LF, empty return	GLO	1
Transport, truck >20t, EURO1, 80%LF, default	GLO	1
Transport, truck >20t, EURO1, 80%LF, empty return	GLO	1
Transport, truck >20t, EURO2, 100%LF, default	GLO	1
Transport, truck >20t, EURO2, 100%LF, empty return	GLO	1
Transport, truck >20t, EURO2, 20%LF, default	GLO	1
Transport, truck >20t, EURO2, 20%LF, empty return	GLO	1
Transport, truck >20t, EURO2, 50%LF, default	GLO	1
Transport, truck >20t, EURO2, 50%LF, empty return	GLO	1
Transport, truck >20t, EURO2, 80%LF, default	GLO	1
Transport, truck >20t, EURO2, 80%LF, empty return	GLO	1
Transport, truck >20t, EURO3, 100%LF, default	GLO	1
Transport, truck >20t, EURO3, 100%LF, empty return	GLO	1
Transport, truck >20t, EURO3, 20%LF, default	GLO	1
Transport, truck >20t, EURO3, 20%LF, empty return	GLO	1
Transport, truck >20t, EURO3, 50%LF, default	GLO	1
Transport, truck >20t, EURO3, 50%LF, empty return	GLO	1



## Agri-footprint 4.0

Products	Countries/Regions covered	Coverage
Transport, truck >20t, EURO3, 80%LF, default	GLO	1
Transport, truck >20t, EURO3, 80%LF, empty return	GLO	1
Transport, truck >20t, EURO4, 100%LF, default	GLO	1
Transport, truck >20t, EURO4, 100%LF, empty return	GLO	1
Transport, truck >20t, EURO4, 20%LF, default	GLO	1
Transport, truck >20t, EURO4, 20%LF, empty return	GLO	1
Transport, truck >20t, EURO4, 50%LF, default	GLO	1
Transport, truck >20t, EURO4, 50%LF, empty return	GLO	1
Transport, truck >20t, EURO4, 80%LF, default	GLO	1
Transport, truck >20t, EURO4, 80%LF, empty return	GLO	1
Transport, truck >20t, EURO5, 100%LF, default	GLO	1
Transport, truck >20t, EURO5, 100%LF, empty return	GLO	1
Transport, truck >20t, EURO5, 20%LF, default	GLO	1
Transport, truck >20t, EURO5, 20%LF, empty return	GLO	1
Transport, truck >20t, EURO5, 50%LF, default	GLO	1
Transport, truck >20t, EURO5, 50%LF, empty return	GLO	1
Transport, truck >20t, EURO5, 80%LF, default	GLO	1
Transport, truck >20t, EURO5, 80%LF, empty return	GLO	1
Transport, truck 10-20t, EURO1, 100%LF, default	GLO	1
Transport, truck 10-20t, EURO1, 100%LF, empty return	GLO	1
Transport, truck 10-20t, EURO1, 20%LF, default	GLO	1
Transport, truck 10-20t, EURO1, 20%LF, empty return	GLO	1
Transport, truck 10-20t, EURO1, 50%LF, default	GLO	1
Transport, truck 10-20t, EURO1, 50%LF, empty return	GLO	1
Transport, truck 10-20t, EURO1, 80%LF, default	GLO	1
Transport, truck 10-20t, EURO1, 80%LF, empty return	GLO	1
Transport, truck 10-20t, EURO2, 100%LF, default	GLO	1
Transport, truck 10-20t, EURO2, 100%LF, empty return	GLO	1
Transport, truck 10-20t, EURO2, 20%LF, default	GLO	1
Transport, truck 10-20t, EURO2, 20%LF, empty return	GLO	1
Transport, truck 10-20t, EURO2, 50%LF, default	GLO	1
Transport, truck 10-20t, EURO2, 50%LF, empty return	GLO	1
Transport, truck 10-20t, EURO2, 80%LF, default	GLO	1
Transport, truck 10-20t, EURO2, 80%LF, empty return	GLO	1
Transport, truck 10-20t, EURO3, 100%LF, default	GLO	1
Transport, truck 10-20t, EURO3, 100%LF, empty return	GLO	1
Transport, truck 10-20t, EURO3, 20%LF, default	GLO	1
Transport, truck 10-20t, EURO3, 20%LF, empty return	GLO	1

## Agri-footprint 4.0

Products	Countries/Regions covered	Coverage
Transport, truck 10-20t, EURO3, 50%LF, default	GLO	1
Transport, truck 10-20t, EURO3, 50%LF, empty return	GLO	1
Transport, truck 10-20t, EURO3, 80%LF, default	GLO	1
Transport, truck 10-20t, EURO3, 80%LF, empty return	GLO	1
Transport, truck 10-20t, EURO4, 100%LF, default	GLO	1
Transport, truck 10-20t, EURO4, 100%LF, empty return	GLO	1
Transport, truck 10-20t, EURO4, 20%LF, default	GLO	1
Transport, truck 10-20t, EURO4, 20%LF, empty return	GLO	1
Transport, truck 10-20t, EURO4, 50%LF, default	GLO	1
Transport, truck 10-20t, EURO4, 50%LF, empty return	GLO	1
Transport, truck 10-20t, EURO4, 80%LF, default	GLO	1
Transport, truck 10-20t, EURO4, 80%LF, empty return	GLO	1
Transport, truck 10-20t, EURO5, 100%LF, default	GLO	1
Transport, truck 10-20t, EURO5, 100%LF, empty return	GLO	1
Transport, truck 10-20t, EURO5, 20%LF, default	GLO	1
Transport, truck 10-20t, EURO5, 20%LF, empty return	GLO	1
Transport, truck 10-20t, EURO5, 50%LF, default	GLO	1
Transport, truck 10-20t, EURO5, 50%LF, empty return	GLO	1
Transport, truck 10-20t, EURO5, 80%LF, default	GLO	1
Transport, truck 10-20t, EURO5, 80%LF, empty return	GLO	1
Triazinylsulfonyleurea herbicides, at plant	RER	1
Trifluralin, at plant	RER	1
Triple superphosphate, as 80% Ca(H <sub>2</sub> PO <sub>4</sub> ) <sub>2</sub> (NPK 0-48-0), at plant	RER	1
Triple superphosphate, as 80% Ca(H <sub>2</sub> PO <sub>4</sub> ) <sub>2</sub> (NPK 0-48-0), at regional storehouse	RER	1
Triticale straw, at farm	AT, CH, CZ, DE, ES, FR, HU, LT, LV, NL, PL, PT, RO, SE, SK	15
Triticale straw, seed, at farm	AT, CH, CZ, DE, ES, FR, HU, LT, LV, NL, PL, PT, RO, SE, SK	15
Triticale, at farm	AT, CH, CZ, DE, ES, FR, HU, LT, LV, NL, PL, PT, RO, SE, SK	15
Triticale, consumption mix, at feed compound plant	NL	1
Triticale, dried, at farm	AT, CH, CZ, DE, ES, FR, HU, LT, LV, NL, PL, PT, RO, SE, SK	15
Triticale, seed, at farm	AT, CH, CZ, DE, ES, FR, HU, LT, LV, NL, PL, PT, RO, SE, SK	15
Unclassified herbicides, at plant	RER	1
Urea, as 100% CO(NH <sub>2</sub> ) <sub>2</sub> (NPK 46.6-0-0), at plant	RER	1
Urea, as 100% CO(NH <sub>2</sub> ) <sub>2</sub> (NPK 46.6-0-0), at regional storehouse	RER	1
Vinasse, from ethanol production, at plant	US	1
Vinasse, wet, from ethanol production, at plant	US	1
Wheat bran, consumption mix, at feed compound plant	NL	1
Wheat bran, from dry milling, at plant	BE, CZ, DE, ES, FR, HU, IT, NL, PL, PT, RO, UK	12
Wheat bran, from wet milling, at plant	BE, DE, ES, FR, IT, NL, UK	7

## Agri-footprint 4.0

Products	Countries/Regions covered	Coverage
Wheat feed meal, consumption mix, at feed compound plant	NL	1
Wheat flour, from dry milling, at plant	BE, CZ, DE, ES, FR, HU, IT, NL, PL, PT, RO, UK	12
Wheat germ, consumption mix, at feed compound plant	NL	1
Wheat germ, from dry milling, at plant	BE, CZ, DE, ES, FR, HU, IT, NL, PL, PT, RO, UK	12
Wheat gluten feed, consumption mix, at feed compound plant	NL	1
Wheat gluten feed, from wet milling, at plant	BE, DE, ES, FR, IT, NL, UK	7
Wheat gluten meal, consumption mix, at feed compound plant	NL	1
Wheat gluten meal, from wet milling, at plant	BE, DE, ES, FR, IT, NL, UK	7
Wheat grain, at farm	AR, AT, BE, BG, BR, CA, CH, CN, CZ, DE, DK, EE, ES, FI, FR, GR, HU, IE, IN, IT, LT, LV, MX, NL, NO, PK, PL, PT, RO, SE, UA, UK	32
Wheat grain, consumption mix, at feed compound plant	IE, NL	2
Wheat grain, dried, at farm	AR, AT, BE, BG, BR, CA, CH, CN, CZ, DE, DK, EE, ES, FI, FR, GR, HU, IE, IN, IT, LT, LV, MX, NL, NO, PK, PL, PT, RO, SE, UA, UK	32
Wheat grain, durum, at farm	US-MT, US-ND	2
Wheat grain, durum, dried, at farm	US-MT, US-ND	2
Wheat grain, durum, production mix, at farm	US	1
Wheat grain, market mix, at regional storage	BE, CZ, DE, ES, FR, HU, IT, NL, PL, PT, RO, UK	12
Wheat grain, production mix, at farm	US	1
Wheat grain, seed, at farm	AR, AT, BE, BG, BR, CA, CH, CN, CZ, DE, DK, EE, ES, FI, FR, GR, HU, IE, IN, IT, LT, LV, MX, NL, NO, PK, PL, PT, RO, SE, UA, UK	32
Wheat grain, seed, durum, at farm	US-MT, US-ND	2
Wheat grain, seed, spring, at farm	US-ID, US-MN, US-MT, US-ND, US-OR, US-SD, US-WA	7
Wheat grain, seed, winter, at farm	US-AR, US-CO, US-DE, US-GA, US-ID, US-IL, US-KS, US-KY, US-MI, US-MN, US-MO, US-MS, US-MT, US-NC, US-ND, US-NE, US-OH, US-OK, US-OR, US-PA, US-SD, US-TX, US-WA	23
Wheat grain, spring, at farm	US-ID, US-MN, US-MT, US-ND, US-OR, US-SD, US-WA	7
Wheat grain, spring, dried, at farm	US-ID, US-MN, US-MT, US-ND, US-OR, US-SD, US-WA	7
Wheat grain, spring, production mix, at farm	US	1
Wheat grain, winter, at farm	US-AR, US-CO, US-DE, US-GA, US-ID, US-IL, US-KS, US-KY, US-MI, US-MN, US-MO, US-MS, US-MT, US-NC, US-ND, US-NE, US-OH, US-OK, US-OR, US-PA, US-SD, US-TX, US-WA	23
Wheat grain, winter, dried, at farm	US-AR, US-CO, US-DE, US-GA, US-ID, US-IL, US-KS, US-KY, US-MI, US-MN, US-MO, US-MS, US-MT, US-NC, US-ND, US-NE, US-OH, US-OK, US-OR, US-PA, US-SD, US-TX, US-WA	23
Wheat grain, winter, production mix, at farm	US	1
Wheat middlings & feed, from dry milling, at plant	BE, CZ, DE, ES, FR, HU, IT, NL, PL, PT, RO, UK	12
Wheat starch slurry, from wet milling, at plant	BE, DE, ES, FR, IT, NL, UK	7
Wheat starch, dried, consumption mix, at feed compound plant	NL	1

## Agri-footprint 4.0

Products	Countries/Regions covered	Coverage
Wheat starch, from wet milling, at plant	BE, DE, ES, FR, IT, NL, UK	7
Wheat straw, at farm	AR, AT, BE, BG, BR, CA, CH, CN, CZ, DE, DK, EE, ES, FI, FR, GR, HU, IE, IN, IT, LT, LV, MX, NL, NO, PK, PL, PT, RO, SE, UA, UK	32
Wheat straw, consumption mix, at feed compound plant	NL	1
Wheat straw, durum, at farm	US-MT, US-ND	2
Wheat straw, seed, at farm	AR, AT, BE, BG, BR, CA, CH, CN, CZ, DE, DK, EE, ES, FI, FR, GR, HU, IE, IN, IT, LT, LV, MX, NL, NO, PK, PL, PT, RO, SE, UA, UK	32
Wheat straw, seed, durum, at farm	US-MT, US-ND	2
Wheat straw, seed, spring, at farm	US-ID, US-MN, US-MT, US-ND, US-OR, US-SD, US-WA	7
Wheat straw, seed, winter, at farm	US-AR, US-CO, US-DE, US-GA, US-ID, US-IL, US-KS, US-KY, US-MI, US-MN, US-MO, US-MS, US-MT, US-NC, US-ND, US-NE, US-OH, US-OK, US-OR, US-PA, US-SD, US-TX, US-WA	23
Wheat straw, spring, at farm	US-ID, US-MN, US-MT, US-ND, US-OR, US-SD, US-WA	7
Wheat straw, winter, at farm	US-AR, US-CO, US-DE, US-GA, US-ID, US-IL, US-KS, US-KY, US-MI, US-MN, US-MO, US-MS, US-MT, US-NC, US-ND, US-NE, US-OH, US-OK, US-OR, US-PA, US-SD, US-TX, US-WA	23
Whey powder, from drying, at plant	NL	1
White rice, from dry milling, at plant	CN	1
White rice, from dry milling, parboiled, at plant	CN	1
White rice, from dry milling, raw, at plant	CN	1
<b>Total</b>		<b>2770</b>